DEPARTMENT OF RESOURCE MANAGEMENT

TERRY SCHMIDTBAUER ED STRICKLAND



www.solanocounty.com

Environmental Health Division

Annual Performance Indicators

June 12, 2023

1. Name and address of Stationary Source: Valero Benicia Refinery

3400 East Second Street, Benicia, CA 94510

Contact name and telephone number: Solano County CUPA 707-784-6765

3. Common Process Safety Performance Indicators:

A. Overdue inspection for pressure vessels and piping based on total number of circuits:

Month	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Total
Overdue	0	0	0	0	0	0	0	0	0	0	0	0	0
Repeat	0	0	0	0	0	0	0	0	0	0	0	0	0

Total number of circuits: 12,310

Total number of annual planned circuit inspection: 870

B. Past due PHA recommended actions, includes seismic recommended actions:

Month	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Total
Overdue	0	0	0	0	0	0	0	0	0	0	0	0	0
Repeat	0	0	0	0	0	0	0	0	0	0	0	0	0

C. Past due Investigation recommended actions for major incidents:

Month	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Total
Overdue	0	0	0	0	0	0	0	0	0	0	0	0	0
Repeat	0	0	0	0	0	0	0	0	0	0	0	0	0

D. Number of Major Incidents in 2022: One (1)

E. The number of temporary piping and equipment repairs that are installed on hydrocarbon and high energy utility systems that are past their date of replacement with a permanent repair:

citility .	attity systems that are past their date of replacement with a permanent repair.												
Month	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Total
Total	49	52	52	56	60	61	62	62	62	59	51	49	49
Overdue	0	0	0	0	0	0	0	0	0	0	0	0	0
Repeat	0	0	0	0	0	0	0	0	0	0	0	0	0

I hereby certify to the best of the signer's knowledge, the information submitted is current and accurate, consistent with the requirements as specified in T19 CCR§2762.16 (h)(2). Send to Cal OES; Attention Jack Harrah, Senior Emergency Services Coordinator, Jack. Harrah@caloes.ca.gov and to the Solano County CUPA; Attention Colby LaPlace, cslaplace@solanocounty.com

Refinery Manager or Designee