


**NAPA-SOLANO-YOLO-MARIN-MENDOCINO
COUNTY PUBLIC HEALTH LABORATORY**

2201 COURAGE DRIVE, MS 9-200

FAIRFIELD, CA 94533

(707) 784-4410 FAX (707) 423-1979

Beatrix Kapusinszky, PhD, PHLD (ABB), Lab Director



Solano County Health and Social Services Department
Gerald R. Huber, Director

CLIA NO.05D0601176
MEDI CAL #LAB 58707F

ELAP NO.2396
MEDICARE #ZZZ17308Z

Dear Providers,

This letter is to inform you that effective July 6th, 2023, our lab will be using a new Blood Lead Reference Value of 3.5 µg/dL (previously 5 µg/dL) as the threshold to determine if further confirmatory testing is needed for pediatric patients with elevated levels of lead in their blood. The change comes with the passing of California Legislative Bill No. 2326 which requires analyzing labs to use the most recent CDC Blood Lead Reference Value as well as report additional information to the state such as a patient's pregnancy status, race/ethnicity, and employment information. We have updated our requisition form to include fields for this information and will be faxed alongside this letter. Please use this updated requisition form when submitting a specimen if you have not done so already.

Please contact us if you need further assistance.

We appreciate your partnership,

With kind regards,

Beatrix Kapusinszky, Ph.D., PHLD(ABB)
Laboratory Director
Napa-Solano-Yolo-Marin-Mendocino County Public Health Laboratory
2201 Courage Drive, MS 9-200
Fairfield, CA 94533
Phone: 707-784-4410
Cell: 707-718-8569
Fax: 707-423-1979
E-mail: bskapusinszky@solanocounty.com